

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	82331	(receiv\$3 near6 ((tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:34
S2	82320	(receiv\$3 near6 ((N-tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:35
S3	35027	(receiv\$3 near6 ((N-tuple near3 address) or packet)) and (determin\$3 near6 ((N-tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:35
S4	32023	(receiv\$3 near6 ((N-tuple near3 address) or packet)) and (determin\$3 near6 ((N-tuple near3 address) or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 ((N-tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:37
S5	110641	((receiv\$3 or determin\$3 or send\$3 or forward\$3 or transmit\$3) near6 ((N-tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:38
S6	8535	(receiv\$3 near6 ((N-tuple near3 address) or packet)) and (determin\$3 near6 ((N-tuple near3 address) or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 ((N-tuple near3 address) or packet)) and (compar\$4 near6 ((N-tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:20
S7	409	(receiv\$3 near6 ((N-tuple near3 address) or packet)) and (determin\$3 near6 ((N-tuple near3 address) or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 ((N-tuple near3 address) or packet)) and (compar\$4 near6 ((N-tuple near3 address) or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:52

S8	225	(receiv\$3 near6 ((N-tuple near3 address) or packet)) and (determin\$3 near6 ((N-tuple near3 address) or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 ((N-tuple near3 address) or packet)) and (compar\$4 near6 ((N-tuple near3 address) or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and @ad< "20021114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:18
S9	399	(receiv\$3 near6 (address or packet)) and (determin\$3 near6 (address or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or packet)) and (compar\$4 near6 (address or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and @ad< "20021114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:19
S10	796	(receiv\$3 near6 (address or packet)) and (determin\$3 near6 (address or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or packet)) and (compar\$4 near6 (address or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:21
S11	752	(receiv\$3 near6 (address or packet)) and (determin\$3 near6 (address or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or packet)) and (compar\$4 near6 (address or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:22

S12	272	(receiv\$3 near6 (address or packet)) and (determin\$3 near6 (address or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or packet)) and (compar\$4 near6 (address or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:23
S13	192	(receiv\$3 near6 (address or packet)) and (determin\$3 near6 (address or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or packet)) and (compar\$4 near6 (address or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor)) and (add\$3 or modify\$3) near3 address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:29
S14	217	(receiv\$3 near6 (address or header or packet)) and (determin\$3 near6 (address or header or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or header or packet)) and (compar\$4 near6 (address or header or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor)) and (add\$3 or modify\$3) near3 (address or header)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:34

S15	105	(receiv\$3 near6 (address or header or packet)) and (determin\$3 near6 (address or header or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or header or packet)) and (compar\$4 near6 (address or header or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor)) and (add\$3 or modify\$3) near3 (address or header) and @ad< "20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:36
S16	0	(receiv\$3 near6 (address or header or packet)) and (determin\$3 near6 (address or header or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or header or packet)) and (compar\$4 near6 (address or header or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor)) and (add\$3 or modify\$3) near3 (address or header) and (firewall. ti.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:37
S17	33	(receiv\$3 near6 (header or packet)) and (determin\$3 near6 (header or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (header or packet)) and (compar\$4 near6 (header or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:41

		(source or port or processor)) and (add\$3 or modify\$3) near3 (header)				
S18	506	(firewall).ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:41
S19	328	(firewall).ti. and @ad< "20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 19:30
S20	16747	(firewall) and @ad< "20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:42
S21	4308	(firewall) and @ad< "20031114" and (receiv\$4 near6 (header or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:43
S22	2488	(firewall) and @ad< "20031114" and (receiv\$4 near6 (header or packet)) and ((determin\$3 or compar\$4) near6 (header or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:44
S23	199	(firewall) and @ad< "20031114" and (receiv\$4 near6 (header or packet)) and ((determin\$3 or compar\$4) near6 (header or packet)) and (hash near3 function)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:52
S24	2	("20020166063" "7010698").PN.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:00
S25	169	(symantec).as.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:02
S26	0	(symantec).as. and S23	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:02
S27	1	(symantec).as. and S6	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:11
S28	82319	(receiv\$3 near6 packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:11
S29	2264	(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:13

S30	2076	(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and (determin\$3 or send \$3 or forward\$3) near6 packet	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:14
S31	2076	(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determin\$3 or send \$3 or forward\$3) near6 packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:14
S32	0	(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determin\$3 or send \$3 or forward\$3) near6 packet) and (determin\$3 near3 (header near3 space))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:16
S33	822	(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determin\$3 or send \$3 or forward\$3) near6 packet) and (determin\$3 near3 (header))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:16
S34	24	(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determin\$3 or send \$3 or forward\$3) near6 packet) and (determin\$3 near3 (header)) and firewalls and hash\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:22
S35	103	(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determin\$3 or send \$3 or forward\$3) near6 packet) and (determin\$3 near3 (header)) and hash \$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:39
S36	15152	(processor or device or computer) near3 receiv\$3 near3 packet	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:40
S37	3396	(processor or device or computer) near3 receiv\$3 near3 packet and determin \$3 near3 address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:41

S38	696	(processor or device or computer) near3 receive\$3 near3 packet and determine\$3 near3 address and forward\$3 near3 packet near6 address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:42
S39	4485961	(processor or device or computer) near3 receive\$3 near3 packet and determine\$3 near3 address and forward\$3 near3 packet near6 address @ad- "20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:43
S40	472	(processor or device or computer) near3 receive\$3 near3 packet and determine\$3 near3 address and forward\$3 near3 packet near6 address and @ad- "20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:43
S41	309	(processor or device or computer) near3 receive\$3 near3 packet and determine\$3 near3 address and forward\$3 near3 packet near6 address and @ad- "20031114"	USPAT	OR	ON	2007/12/06 15:10
S42	6719	((router or computer or processor) near6 (receive\$3 near3 packet))	USPAT	OR	ON	2007/12/06 16:17
S43	778	((router or computer or processor) near6 (receive\$3 near3 packet)) and (determine\$3 near6 (packet near3 header))	USPAT	OR	ON	2007/12/06 16:17
S44	79	((router or computer or processor) near6 (receive\$3 near3 packet)) and (determine\$3 near6 (packet near3 header)) and ((re-route\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modify\$4 near3 packet))	USPAT	OR	ON	2007/12/06 16:18
S45	52	((router or computer or processor) near6 (receive\$3 near3 packet)) and (determine\$3 near6 (packet near3 header)) and ((re-route\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modify\$4 near3 packet)) and (compare\$4)	USPAT	OR	ON	2007/12/06 16:18

S46	14583	((router or computer or processor) near6 (receiv\$3 near3 packet))	US-PGPUB; USPAT	OR	ON	2007/12/06 16:17
S47	1574	((router or computer or processor) near6 (receiv\$3 near3 packet)) and (determin\$3 near6 (packet near3 header))	US-PGPUB; USPAT	OR	ON	2007/12/06 16:17
S48	141	((router or computer or processor) near6 (receiv\$3 near3 packet)) and (determin\$3 near6 (packet near3 header)) and ((re-rout\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet))	US-PGPUB; USPAT	OR	ON	2007/12/06 16:18
S49	97	((router or computer or processor) near6 (receiv\$3 near3 packet)) and (determin\$3 near6 (packet near3 header)) and ((re-rout\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and (compar\$4)	US-PGPUB; USPAT	OR	ON	2007/12/06 16:19
S50	75	((router or computer or processor) near6 (receiv\$3 near3 packet)) and (determin\$3 near6 (packet near3 header)) and ((re-rout\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and (compar\$4) and @ad<"20031114"	US-PGPUB; USPAT	OR	ON	2007/12/06 16:19
S51	10632	((proxy or agent or firewall or router) near6 ((receiv\$3 near3 packet) or header))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:26
S52	7075	((proxy or agent or firewall or router) near6 (receiv\$3 near3 packet))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:25
S53	6299	((proxy or agent or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:27

S54	429	((proxy or agent or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((re-route\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:38
S55	17	((proxy or agent or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((re-route\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and ((hash near3 function) or (mod near3 division))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:29
S56	405	((proxy or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:40
S57	287	((proxy or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and @ad< "20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:40
S58	192	((proxy or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and @ad< "20031114"	USPAT; IBM_TDB	OR	ON	2007/12/06 18:46

S59	3	((proxy or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and ((hash near3 function) or (mod near3 division))and @ad<"20031114"	USPAT; IBM_TDB	OR	ON	2007/12/06 19:08
S60	39358	(firewalls or (hash near3 function))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:50
S61	4064	(firewalls or (hash near3 function)) and (packet near3 header)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:50
S62	4011	(firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send\$3 or forward\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:51
S63	3315	(firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send\$3 or forward\$3) and (receiv\$3 near3 packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:51
S64	995	(firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send\$3 or forward\$3) and (receiv\$3 near3 packet) and ((determin\$3 or evaluat\$3) near6 (header))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:52
S65	242	(firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send\$3 or forward\$3) and (receiv\$3 near3 packet) and ((determin\$3 or evaluat\$3) near6 (header)) and (header near3 (length or space))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:53
S66	111	(firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send\$3 or forward\$3) and (receiv\$3 near3 packet) and ((determin\$3 or evaluat\$3) near6 (header)) and (header near3 (length or space))	USPAT; IBM_TDB	OR	ON	2007/12/06 18:53

S67	102	(firewalls or (hash near3 function)) and (packet near3 header) and (route\$3 or send\$3 or forward\$3) and (receive\$3 near3 packet) and ((determine\$3 or evaluate\$3) near6 (header)) and (header near3 (length or space)) and @ad<"20031114"	USPAT; IBM_TDB	OR	ON	2007/12/06 19:02
S68	5	(firewalls and (hash near3 function)) and (packet near3 header) and (route\$3 or send\$3 or forward\$3) and (receive\$3 near3 packet) and ((determine\$3 or evaluate\$3) near6 (header)) and (header near3 (length or space)) and @ad<"20031114"	USPAT; IBM_TDB	OR	ON	2007/12/06 19:02
S69	0	(hash adj function) and (module adj division) and firewall	USPAT; IBM_TDB	OR	ON	2007/12/06 19:09
S70	5	(hash adj function) and (module adj division)	USPAT; IBM_TDB	OR	ON	2007/12/06 19:09
S71	172	(firewall).ti. and @ad<"20031114"	USPAT; IBM_TDB	OR	ON	2007/12/06 19:30
S72	26	(firewall clusters)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/07 11:29
S73	82	(firewall near3 clusters)	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/07 11:29
S74	51	(firewall near3 clusters) and @ad<"20031114"	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/07 11:29
S75	4	(firewall near3 cluster) near (nodes terminals)	US-PGPUB; USPAT	OR	OFF	2008/11/06 07:46
S76	4	(firewall near3 cluster) near (nodes terminals)	US-PGPUB; USPAT	OR	ON	2008/11/06 07:46
S77	278	(firewall) near (nodes terminals)	US-PGPUB; USPAT	OR	ON	2008/11/06 07:48
S78	171	(firewall) near (nodes terminals) same (packet receive\$3 select\$3 transmit\$6 send\$3)	US-PGPUB; USPAT	OR	ON	2008/11/06 07:49
S79	209	(firewall) near (nodes terminals) same (packet receive\$3 select\$3 transmit\$6 send\$3 header address data process\$3)	US-PGPUB; USPAT	OR	ON	2008/11/06 07:50

S80	131	(firewall) near (nodes terminals) same (packet receive\$3 select\$3 transmit\$6 send\$3 header address data process\$3) and @ad< "20031114"	US-PGPUB; USPAT	OR	ON	2008/11/06 07:50
S81	144	(firewall) near (nodes terminals cluster) same (packet receive\$3 select\$3 transmit\$6 send\$3 header address data process\$3) and @ad< "20031114"	US-PGPUB; USPAT	OR	ON	2008/11/06 07:51
S82	2	((("6160811") or ("7299353"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/11/06 07:55
S83	11656	(firewall same (LAN network)) and @ad< "20031114"	US-PGPUB; USPAT	OR	ON	2008/11/06 08:06
S84	112	(firewall same (LAN network)).ti. and @ad< "20031114"	US-PGPUB; USPAT	OR	ON	2008/11/06 08:06
S85	6	(firewall same (nodes terminals)).ti. and @ad< "20031114"	US-PGPUB; USPAT	OR	ON	2008/11/06 08:12
S86	6	(firewall near3 (nodes terminals)).ti. and @ad< "20031114"	US-PGPUB; USPAT	OR	ON	2008/11/06 08:14
S87	482	(firewall near3 (nodes terminals)) and @ad< "20031114"	US-PGPUB; USPAT	OR	ON	2008/11/06 08:15
S88	86	(firewall adj (nodes terminals)) and @ad< "20031114"	US-PGPUB; USPAT	OR	ON	2008/11/06 08:15
S89	21	(firewall adj (nodes terminals)) and @ad< "20031114" and (one more) near3 firewalls	US-PGPUB; USPAT	OR	ON	2008/11/06 08:16
S90	14	(firewall adj (nodes terminals)) and @ad< "20031114" and (two more) near3 firewalls	US-PGPUB; USPAT	OR	ON	2008/11/06 08:16

11/6/2008 11:14:59 AM

C:\Documents and Settings\sdaftuar\My Documents\EAST\Workspaces\10712396.wsp